
10







Glass Hardware

Patch fittings, glass door locks and pull handles for frameless and semi-frameless glass door systems.

IN THIS SECTION

Glass door lock, keeper & patch fittings 75
Glass door pull handle 76

GLASS HARDWARE


Glass Door Lock & Patch Fittings

Premium frameless glass-door hardware in marine-grade stainless steel — engineered for smooth, secure operation with a clean architectural finish.

ART. NO. IGL-72

Glass Door Lock






ART. NO. IGKL-72

Glass Door Lock Keeper






ART. NO. ITP-10

Bottom Patch Fitting






ART. NO. ITP-20

Top Patch Fitting





LOCK, KEEPER & PATCH FITTINGS

MATERIAL	Body: Aluminium / Cover: Stainless steel 304
FIXING	Patch-fitted to toughened glass, concealed screws
GLASS THICKNESS	10 – 12 mm
DESCRIPTION	Square lock & keeper · bottom patch (spindle) · top patch (bearing)
FINISH	SSS PSS SB PB MB

GLASS HARDWARE


Glass Door Pull Handle

A ladder-style pull handle for frameless glass doors, available in four standard heights with matching center-to-center fixing spans.

Glass Door Pull Handle

Art. No. by height — see sizes table





SIZES AVAILABLE

Height	Art. No.	C-to-C
400 mm	IPH-400	240 mm
600 mm	IPH-600	400 mm
900 mm	IPH-900	600 mm
1200 mm	IPH-1200	900 mm

Standard finish: Stainless Steel · Polished Stainless Steel.
Other finishes available upon request: Matt Black · Satin Brass · Polished Brass.

GLASS DOOR PULL HANDLE

MATERIAL	Stainless steel, round-section ladder profile
STANDARD FINISH	Stainless Steel · Polished Stainless Steel
OPTIONAL FINISH	Matt Black · Satin Brass · Polished Brass — upon request
SIZES	H400/CC240 · H600/CC400 · H900/CC600 · H1200/CC900
FINISH	SSS · PSS · SB · PB · MB